

In accordance with Regulation (EC) No 1907/2006 Revision date: 08/05/2015 Version number: 06

	1. Identification of the substance or preparation and the company/ undertaking					
1.1	Product Identifier					
	Product Name: MAST ID™	CAMP Identification System				
	Product Code: CAMP-ID					
1.2	Relevant identified uses of the substance or mixture and uses advised against					
	Recommended uses: In vitro diagr	nostic product; Laboratory chemical				
	Uses advised against: No informati	on available				
1.3	Details of supplier of the product and safety d	ata sheet				
	Derby Road, Bootle, Merseyside, UK. L20 1EA Telephone: -	+44 (0) 151 933 7277 es@mastgrp.com nastgrp.com				
		2. Hazards identification				
2.1	Classification of the substance or mixture					
	CLP Classification – Regulation (EC) No. 1272	/2008: Ninhydrin Development Reagent requires the following labelling. No other components require labelling.				
	Physical ha	zards: Based on available data, there are no physical hazards				
	Heath ha	zards: Flammable liquids (Category 2), Eye irritation (Category 2), Specific target organ toxicity - single exposure (Category 3), Central nervous system.				
	Environmental ha	zards: Based on available data, there are no physical hazards				
2.2	Label elements					
	Pictogram:					
	Signal word:	Danger				
	Hazard statements:	H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. EUH066 Repeated exposure may cause skin dryness or cracking.				
	Precautionary statements:	P261 Avoid breathing vapours. P280 Wear protective gloves/ eye protection/ face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
2.3	Classification according to EU Directive 67/54	8/EEC or 1999/45/EC				
	Hazard symbol:	×				
	R-phrase(s):	Ninhydrin Developing Reagent – R11-22-3637/38-66-67. Highly flammable. Harmful if swallowed. Irritating to eyes, respiratory system and skin. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.				
	S-phrase(s):	Ninhydrin Developing Reagent – S7/9-26. Keep container tightly closed and in a well ventilated place. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.				
2.4	Other hazards					
		No information available				
		Page 1 of 7				



In accordance with Regulation (EC) No 1907/2006 Revision date: 08/05/2015 Version number: 06

Composition/information on ingredients 3.

Composition: A multi-component diagnostic kit, containing:

- Indoxyl Acetate Test (IA) Hippurate Test (HIP) 1.
- 2.
- 3. Urease Test (URE)
- 4. Ninhydrin Developing Reagent

Hazardous ingredients:

Indoxyl Acetate Test (IA) - indoxyl acetate impregnated into a cotton swab and housed in a capped plastic tube. 1.

Component	CAS-No.	EC-No.	Concentration	CLP Classification – 1272/2008/EC	Classification to – 67/548/EEC
Indoxyl acetate	608-08-2	210-154-2	4%	Acute Toxicity Cat. 4; Skin Irritation Cat.2; Eye Irritation Cat. 2; Specific target organ toxicity - single exposure Cat. 3; H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.	Xn, harmful; Xi, irritant. R22-harmful if swallowed. R36/37/38 – irritating to eyes, respiratory system and skin.

2 **Hippurate Test (HIP)** – a lyophilised mixture of sodium hippurate with an inert carrier

Component	CAS-No.	EC-No.	Concentration	CLP Classification – 1272/2008/EC	Classification to – 67/548/EEC	
Sodium hippurate	532-94-5	-	>25%	None	None	

Urease Test (URE) - a lyophilised mixture of urea, peptones, sodium chloride and phenol red in a buffered base and with an inert carrier. 3.

Component	CAS-No.	EC-No.	Concentration	CLP Classification – 1272/2008/EC	Classification to – 67/548/EEC
Phenol Red	143-74-8	205-609-7	~0.01%	 Skin Irritation Cat.2; Eye Irritation Cat. 2; Specific target organ toxicity - single exposure Cat. 3. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. 	Xi, irritant. R36/37/38 – irritating to eyes, respiratory system and skin

4. Ninhydrin Developing Reagent - ninhydrin in a butan-1-ol + acetone mixture.

Component	CAS-No.	EC-No.	Concentration	CLP Classification – 1272/2008/EC	Classification to – 67/548/EEC
ninhydrin	485-47-2	207-618-1	3.5%	Acute Toxicity Cat. 4; Skin Irritation Cat.2; Eye Irritation Cat. 2; Specific target organ toxicity - single exposure Cat. 3; H302 - Harmful if swallowed. H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation.	Xn, harmful; Xi, irritant. R22-harmful if swallowed. R36/37/38 – irritating to eyes, respiratory system and skin.
Butan-1-ol	71-36-3	200-751-6	48.25%	Flammable liquids Cat. 3; Acute toxicity, Oral Cat. 4; Skin irritation Cat. 2; Serious eye damage Cat. 1; Specific target organ toxicity - single exposure Cat. 3, Central nervous system; Specific target organ toxicity - single exposure Cat. 3, Respiratory system, H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.	Xn, harmful, Xi, irritant. R10 Flammable. R22 Harmful if swallowed. R37/38 Irritating to respiratory system and skin. R41 Risk of serious damage to eyes. R67 Vapours may cause drowsiness and dizziness.
Acetone	67-64-1	200-662-2	48.25%	Flammable liquids Cat. 2; Eye irritation Cat. 2; Specific target organ toxicity - single exposure Cat. 3, Central nervous system. H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. EUH066 Repeated exposure may cause skin dryness or cracking.	F Highly flammable; Xi Irritant. R11 Highly flammable. R36 Irritating to eyes. R66 Repeated exposure may cause skin dryness or cracking. R67 Vapours may cause drowsiness and dizziness.



In accordance with Regulation (EC) No 1907/2006 Revision date: 08/05/2015 Version number: 06

		Version number
		4. First-aid measures
4.1 <u>D</u>	escription of First Aid n	neasures
	General advice:	Consult a physician. Show this safety data sheet to the doctor in attendance.
	Eye contact:	Rinse thoroughly with plenty of water for 10 to 15 minutes, also under the eyelids. Obtain medical attention if irritation persists.
	Skin Contact:	Wash off skin thoroughly with soap and plenty of water. Obtain medical attention if irritation persists.
	Ingestion:	Rinse mouth out with plenty of water. Obtain medical attention if symptoms occur.
	Inhalation:	Move person to fresh air. Obtain medical attention immediately if symptoms occur.
4.2 <u>M</u>	ost important symptom	is and effects, both acute and delayed
		No information available.
4.3 <u>In</u>	dicate any immediate n	nedical attention and special treatment needed
		No information available.
		5. Fire fighting measures
5.1 <u>E</u>	xtinguishing medium	
		Suitable extinguishing media: Use water spray, CO ₂ , foam or dry powder as the extinguisher medium.
Exting	uishing media which mus	st not be used for safety reasons: No information available
5.2 <u>S</u>	pecial hazards arising f	rom the substance or mixture
		Combustible material. Thermal decomposition may lead to release of irritating gases and vapours.
5.3 <u>A</u>	dvice for firefighters	
		Wear suitable self contained breathing apparatus for fire fighting if necessary.
5.4 <u>A</u>	dditional information	
		No data available.
		6. Accidental release measures
6.1 <u>P</u>	ersonal precautions, pr	otective equipment and emergency procedures
		Ensure adequate ventilation. Wear appropriate protective equipment. Avoid dust formation.
6.2 <u>E</u>	nvironmental precautio	ns

Should not be released into the environment.

6.3 Methods and materials for contamination and cleaning up

Sweep up or vacuum up spillage in suitable container for disposal. Avoid dust formation.

6.4 Further information

NOTE: ninhydrin stains proteins any amino acids/protein present on the skin, wear protective gloves at all times when handling this reagent.

For all tube components sweep or scoop up and arrange for disposal. For the Ninhydrin Developing Solution, isolate all sources of ignition and ventilate the area. Wear gloves (and if the spill is large, use a self-contained breathing apparatus) and mop up with absorbent material. Finally swab the area of spillage with copious amounts of water.



In accordance with Regulation (EC) No 1907/2006 Revision date: 08/05/2015 Version number: 06

7. Handling and storage

7.1 Precautions for safe handing

Avoid contact with eyes, skin and clothing. Avoid ingestion and inhalation. Always use gloves when handling Ninhydrin reagent.

7.2 Conditions for safe storage, including any incompatabilities

Store at 2°C to 8°C. Keep tightly closed in the container provided. Protect from direct sunlight and moisture.

7.3 Specific end use(s)

This product is for laboratory use only and should only be used by suitably trained laboratory personnel.

8. Exposure controls and personal protection

8.1 Control parameters

Components with workspace control parameters: Contains no substance with occupational exposure limits.

8.2 Exposure controls

Engineering controls:	No engineering protection required.		
Personal protective measures:	Body protection:	Wear standard microbiology laboratory coat.	
	Eye/face protection:	Safety glasses with side shields conforming to EN 166.	
	Skin and hand protection:	Wear appropriate protective clothing e.g. nitrile gloves. NOTE: ninhydrin stains proteins any amino acids/protein present on the skin, wear protective gloves at all times when handling this reagent.	
	Respiratory protection:	Handle in a well ventilated area.	
General hygiene measures:	Handle in accordance with good laboratory practice. Wash hands before breaks and at the end of the working day.		

9. Physical and Chemical properties

9.1 Information on basic physical and chemical properties

Physical appearance:	The HIP and URE reagents are lyophilised. The IA is presented as a dried swab. The Ninhydrin Developing Reagent is liquid, ready to use.
Odour:	Hippurate reagent - odourless. Ninhydrin Developing Reagent – solvent smell.
Odour threshold:	No data available.
Colour:	HIP – white pellet. IA – white to light purple coloured swab. URE – yellow pellet. Ninhydrin Developing
	Reagent – pale yellow liquid.
pH value:	Not applicable.
Melting point/freezing point:	Ninhydrin Developing Reagent – butan-1-ol 117_{0}^{0} C, acetone 56 $_{0}^{0}$ C; other components not applicable.
Initial boiling point/range:	Ninhydrin Developing Reagent – butan-1-ol -90° C, acetone -94° C; other components not applicable.
Flash point:	Ninhydrin Developing Reagent – butan-1-ol 35° C, acetone -17 ^o C; other components not applicable.
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Explosive limits:	No data available.
Vapour pressure:	No data available.
Vapour density:	No data available.
Relative density:	No data available.
Solubility in water:	No data available.
Solubility in other solvents:	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	Ninhydrin Developing Reagent – butan-1-ol 343°C, acetone 465°C; other components not applicable.
Decomposition temperature:	No data available.
Viscosity:	No data available.
Vapour density:	Ninhydrin Developing Reagent – butan-1-ol 5hPa at 20° C, acetone 233hPa at 20° C; other components.
Explosive properties:	Ninhydrin Developing Reagent – butan-1-ol 1.4-11.2%, acetone 2-13%; other components not applicable.
Oxidising properties:	No data available.

9.2 Other information

No data available.



In accordance with Regulation (EC) No 1907/2006 Revision date: 08/05/2015 Version number: 06

10. Stability and reactivity 10.1 Reactivity None known on information available. 10.2 Chemical stability Stable under normal conditions. 10.3 Possibility of hazardous reactions No data available. 10.4 Conditions to avoid Incompatible products; Avoid heat; Avoid dust formation. 10.5 Incompatible materials None known.

10.6 Hazardous decomposition products

None under normal use conditions.

11. Toxicological information

11.1 Information on toxicological effects

Overall product information: This product does not present an acute toxicity based on known or supplied information.

11.2 Toxicological data for the components

Acute toxicity:	 For ninhydrin: LD50 Oral - rat - 600 mg/kg. See RTECS: NK5425000. For acetone: LD50 Oral - Rat - 5,800 mg/kg. See RTECS: AL3150000. Remarks: Behavioural: Altered sleep time (including change in righting reflex). Behavioural: Tremor. Behavioural: Headache. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. LC50 Inhalation - Rat - 8 h - 50,100 mg/m3. Remarks: Drowsiness, dizziness, unconsciousness. LD50 Dermal - Guinea pig - 7,426 mg/kg For butan-1-ol: LD50 Oral - Rat - 790 mg/kg. See RTECS: EO1400000. Remarks: Liver: Fatty liver degeneration. Kidney, Ureter, Bladder: Other changes. Blood: Other changes. LC50 Inhalation - Rat - 4 h - 8000 ppm. LD50 Dermal - Rabbit - 3,400 mg/kg
Skin corrosion/irritation:	May cause skin irritation.
Serious eye damage/ eye irritation:	May cause eye irritation.
Respiratory or skin sensitisation:	No data available.
Germ cell mutagenicity:	No data available.
Carcinogenicity:	IARC: No component of this product is present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Reproductive toxicity:	No data available.
Specific target organ toxicity – single exposure:	May cause drowsiness or dizziness. May cause respiratory irritation.
Specific target organ toxicity – repeated exposure:	No data available.
Aspiration hazard:	No data available.
Potential health effects:	Drying, cracking of the skin, Skin irritation. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.



In accordance with Regulation (EC) No 1907/2006 Revision date: 08/05/2015 Version number: 06

12. Ecological information

12.1 Toxicity

For acetone: Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 5,540 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates. LC50 - Daphnia magna (Water flea) - 8,800 mg/l - 48 h **For butan-1-ol**: Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 1,840 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates.

12.2 Persistence and degradability

Expected to be biodegradable.

12.3 Bioaccumulative potential

For butan-1-ol: Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 24 h - 921 mg/l. Bioconcentration factor (BCF): 0.38

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects.

No data available.

13. Disposal considerations

Disposal considerations: Dispose of in accordance with local and national regulations. Dispose of contaminated waste, e.g. used plates, according to local microbiological rules.

14. Transport information

14.1 <u>UN Number</u>

ADR/RID: IMDG: IATA: ADR/RID: 1993 IMDG: 1993 IATA: 1993

14.2 UN proper shipping name

ADR/RID: IMDG: IATA: Flammable liquid n.o.s.

14.3 Transport hazard class(es)

ADR/RID: IMDG: IATA: ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: IMDG: IATA: ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: IMDG: IATA: None known.

14.6 Special precautions for user

No data available



In accordance with Regulation (EC) No 1907/2006 Revision date: 08/05/2015 Version number: 06

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

15.2 Chemical safety assessment

Chemical safety assessment reports are not required for mixtures/IVD products.

16. Other information				
Original origination date:	11/02/1999			
Reason for change to document:	Updated in accordance with Regulation (EC) No 1907/2006 to incorporate CLP Classification – Regulation (EC) No. 1272/2008 information.			
	The above information is believed to be correct but does not purport to be all inclusive and shall be used as a guide only. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product and is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Mast Group Ltd. shall not be held liable for any damage resulting from handling or from contact with the above product. See our website at www.mast.grp.com and/or the reverse side of our invoice for additional terms and conditions of sale.			